



INFUSE

3515 | ENCAPSULATOR & PRIMER



INFUSE

3515 | ENCAPSULATOR & PRIMER



Available In: 2 Gallon

MAKE CHEMISTRY A FRIEND, NOT AN ENEMY

Infuse™ is purely formulated to require no pH testing while providing worry-free pH-blocking and protection from alkali attack.



INFUSE™
DETAILS

FORMULATED TO PERFECTLY PRIME THE MOST CHALLENGING SUBFLOORS

- ✓ Extremely Low VOC and Odor
- ✓ Antimicrobial
- ✓ Fast Roller Application
- ✓ Protects Floor From Alkali Attack
- ✓ Free of Solvent and Isocyanate
- ✓ Fast-Drying Formulation



**PRIMES FOR AN
EFFECTIVE ADHESIVE
BOND**



**NO PH TESTING
REQUIRED**



**ENCAPSULATES
CUTBACK AND MORE**

1-2 hrs
Cure Time

90%
RH Protection

8 lbs
MVER

5-14
pH (No Testing)

REQUIRED TOOL



3/8" Short Nap Paint Roller
For Use Under All Urban
Surfaces' LooseLay,
GlueDown, and Floating
Flooring Types

Coverage: ~ 250 sqft/gal

MOISTURE TREATMENT COMPATIBLE

Infuse™ is designed for use with moisture-treated OSB subfloors and subfloors treated with our total moisture protector, Infiniti™. When Infiniti™ is used with one of our adhesives, Infuse is required to create a bond between the two.



INFUSE™ FEARS NO SUBFLOOR

QUALITY ENCAPSULATION SAVES TIME AND MONEY

Infuse™ is a powerful encapsulator. Even cutback adhesive will be detackified and encapsulated, allowing Infuse™ to prime effectively.

MOISTURE TREATMENT FRIENDLY

When priming a moisture-treated surface, whether it be an OSB or a subfloor treated with our Infiniti™, always use Infuse™ to get the proper bond you need.



EXPLORE ALL OF THE URBAN ESSENTIALS™

Start to finish, the Urban Essentials™ line contains everything needed for the perfect flooring installation.

(800) 492-8722 | Info@UrbanSurfaces.com | 2380 Railroad Street, Bldg 101, Corona, CA 92878